

ESR-9855

11n Gaming Router with Gigabit switch

2.4 GHz

802.11 b/g/n

300 Mbps



The EnGenius Gaming Router is ideal wireless device for gamers who yearn for lag-free gaming experience and power users who want to optimize their networks and internet speed.

EnGenius gaming router is specially designed to recognize application patterns in the data stream and will prioritize those which requires the optimal bandwidth so as to deliver best performance.

This intelligent technology, called STREAMENGEINE, guarantees optimal wireless or wired performance and efficiency for applications like voice-over IP, gaming and video streaming and downloads.

To ensure secure wireless configuration, there is a one-touch helps to facilitate the set up.

The 4-port Gigabit switch allows seamless high speed connection between the wireless and wired used.

Features	Benefits
High Speed Data Rate Up to 300Mbps	Capable of handling heavy data payloads such as MPEG video streaming
IEEE 802.11n draft Compliant and backward compatible with 802.11b/g	Fully interoperable with IEEE 802.11b/g/n devices
Four built-in 10/100/1000Mbps Gigabit Switch Ports (Auto-Crossover)	Scalability, able to extend your network
Supports DNS/ DDNS	Lets users assign a fixed host and domain name to a dynamic Internet IP address.
Supports NAT (Network Address Translation)/NAPT	Shares single Internet account and provides a type of firewall by hiding internal IP addresses for keeping hacker out
Hide SSID	Avoids unallowable users sharing bandwidth, increases efficiency of the network
Firewall supports Virtual Server Mapping, DMZ, IP Filter, ICMP Blocking, SPI	Avoids the attacks of Hackers or Viruses from Internet
Support 802.1x authenticator, 802.11i (WPA/WPA2, AES), VPN pass-thru mechanisms	Provide mutual authentication (Client and dynamic encryption keys to enhance security

ESR-9855

11n Gaming Router with Gigabit switch

2.4 GHz

802.11 b/g/n

300 Mbps

Features	Benefits
WDS (Wireless Distribution System)	Make wireless AP and Bridge mode simultaneously as a wireless repeater
Universal Plug and Play (UPnP™)	Works with most Internet gaming and instant messaging applications for automatic Internet access
Filter Scheduling	The filter can be scheduled by days, hours or minutes for easy management
Real time alert	The detection of a list for Hacker log-in information
Web configuration	Helps administrators to remotely configure or manage the Router via Telnet/Web-browser

*** Subject to change without prior notice

Technical Specifications

● Hardware Specifications

➤ Hardware Summary

Expansion Slots	Mini-PCI Slots
Physical Interface	<ul style="list-style-type: none"> ● WAN: One 10/100/1000 Gigabit RJ-45 ● LAN: Four 10/100/1000 Gigabit RJ-45 ● Reset Button (1 second for Reboot, 5 second for Reset to Factory Default) ● Power Jack ● JTAG (for debug only)
LEDs Status	<ul style="list-style-type: none"> ● Power/ Status ● WAN (Internet connection) ● LAN1~LAN4 (10/100/1000Mbps) ● WLAN (Wireless Connection)
Power Requirements	<ul style="list-style-type: none"> ● Power Supply: 90 to 240 VDC ± 10% (depends on different countries) ● Device: 12 V/ 1.25A

➤ Front Panel (LED status)

EnGenius Networks Singapore Pte Ltd

215 Henderson Road #01-04 Henderson Industrial Park Singapore 159554

Tel: +65-62271088 Fax: +65-62272766

Website: www.engeniustech.com.sg Email: inquiry@engeniustech.com.sg



ESR-9855


11n Gaming Router with Gigabit switch

2.4 GHz

802.11 b/g/n

300 Mbps


WAN	1 (Link->green on, traffic->blink)
LAN	4 (Link->green on, traffic->blink)
WLAN	1 (Link->green on, traffic->blink)
Power/Status	1 (On->green Test/reset default->blink)



Button

Button

➤ Rear Panel (Interface)



➤ Radio Specifications

Frequency Band	2.400 ~ 2.484 GHz
Media Access Protocol	Carrier sense multiple access with collision avoidance (CSMA/CA)
Modulation Technology	<ul style="list-style-type: none"> ● OFDM: BPSK, QPSK, 16-QAM, 64-QAM ● DBPSK, DQPSK, CCK
Operating Channels	11 for North America, 14 for Japan, 13 for Europe
Receive Sensitivity (Typical)	<ul style="list-style-type: none"> ● 2.412~2.472G(IEEE802.11b) (1Rx) -93dBm @ 1Mbps -91dBm @ 11Mbps

EnGenius Networks Singapore Pte Ltd

215 Henderson Road #01-04 Henderson Industrial Park Singapore 159554

Tel: +65-62271088 Fax: +65-62272766

Website: www.engeniustech.com.sg Email: inquiry@engeniustech.com.sg



ESR-9855

11n Gaming Router with Gigabit switch

2.4 GHz

802.11 b/g/n

300 Mbps

	<ul style="list-style-type: none"> • 2.412~2.472G(IEEE802.11g) (2Rx) -92dBm @ 6Mbps -79dBm @ 54Mbps • 2.412~2.472G(IEEE802.11N) (2Rx) -90 dBm MCS 8 -70 dBm MCS 15
Available transmit power	<ul style="list-style-type: none"> • 2.412~2.472G(IEEE802.11b) 19dBm @1~11Mbps • 2.412~2.472G(IEEE802.11g) 19 dBm @6Mbps 16 dBm @54Mbps • 2.412~2.472G(IEEE802.11N) 20 dBm MCS 8 16 dBm MCS 15
Antenna Gain	<p>Peak Gain = 2 dBi Average Gain = 1.08 dBi (@ 2.45GHz, H-Plan)</p>

● Software Features

➤ Router and Gateway

Topology	Infrastructure
Operation Mode	AP/ Router/ WDS Bridge
LAN	<ul style="list-style-type: none"> • DHCP Server • Static IP • DNS • UPNP
WAN	<ul style="list-style-type: none"> • Static IP • DHCP Client • PPPoE • PPTP

ESR-9855

11n Gaming Router with Gigabit switch

2.4 GHz

802.11 b/g/n

300 Mbps

	<ul style="list-style-type: none"> • Clone MAC • DNS Relay • DDNS-8 Verified Services
Router	<ul style="list-style-type: none"> • NAT/ NAPT • Static Routing- RIPv2 • Dynamic Route • Virtual server mapping • IP address mapping • Port Forwarding • Port Triggering • MAC address Filtering • ALG(Application Layer Gateway) support (RTP/RTSP, AOL, FTP, ICMP, WMP/MMS, NetMeeting, SIP)
QoS	<ul style="list-style-type: none"> • WMM • Intelligent Stream Handling/Wireless Intelligent Stream Handling <ul style="list-style-type: none"> ➢ Automatic Traffic Classification & Prioritization ➢ Dynamic Traffic Shaping & Packet Fragmentation ➢ Automatic Configuration

Firewall	<ul style="list-style-type: none"> • Blocking Ping • ICMP Blocking • SPI (Stateful Packet Inspection) • Rule Based (IP Address Ranges, Port Ranges & Schedule) • DMZ (Demilitarized Zone) Host • Policy Based Parental Controls <ul style="list-style-type: none"> ➢ Time Based Internet Access ➢ Port Range / Service Filtering ➢ Internet Domain Restriction ➢ Dynamic URL Filtering (OEM subscription service)
VPN	VPN pass-through (PPTP, L2TP, IPSEC)
Wireless	<ul style="list-style-type: none"> • 64/128 bit WEP Encryption • WPA Personal (WPA-PSK using TKIP or AES) • WPA Enterprise (WPA-EAP using TKIP)

EnGenius Networks Singapore Pte Ltd

215 Henderson Road #01-04 Henderson Industrial Park Singapore 159554

Tel: +65-62271088 Fax: +65-62272766

Website: www.engeniustech.com.sg Email: inquiry@engeniustech.com.sg



ESR-9855

11n Gaming Router with Gigabit switch

2.4 GHz

802.11 b/g/n

300 Mbps

	<ul style="list-style-type: none"> • 802.1x Authenticator • Hide SSID in beacons • Wi-Fi Protection Setup (WPS) • Auto Channel Selection
--	--

➤ Management

Configuration	Web-based configuration (HTTP)
Firmware Upgrade	Upgrade firmware via web-browser
Administrator Setting	<ul style="list-style-type: none"> • Administrator password change • Idle time out
Reset Setting	<ul style="list-style-type: none"> • Reboot • Reset to Factory Default
System monitoring	Status and Statistics, Time Zone & NTP Client, Event Log, Email Alarm

EnGenius Networks Singapore Pte Ltd

215 Henderson Road #01-04 Henderson Industrial Park Singapore 159554

Tel: +65-62271088 Fax: +65-62272766

Website: www.engeniustech.com.sg Email: inquiry@engeniustech.com.sg

