


REV	DESCRIPTION	DRAWN	DATE



9	Shell(S-004)	1	Brass	Nickel
8	Retaining ring(W-007)	1	Brass	Nickel
7	Gasket(G-014-SI)	1	Si-rubber	Orange
6	Washer(W-005)	1	Brass	Nickel
5	Dielectric(T-00013)	1	Teflon	White
4	Dielectric(T-02009)	1	Teflon	White
3	Pin(C-08006)	1	Brass	Gold
2	Body(B-00013)	1	Brass	Nickel
1	Body(B-07004)	1	Brass	Nickel
..

UNLESS OTHERWISE SPECIFIED
 1.REMOVE ALL BURRS.
 2.BREAK ALL CONNERS & EDGES CO.15 MAX.
 3.CHAMFER 1ST & LAST THREADS 45°
 4.DIAMETERS ON COMMON CENTERS TO BE CONCENTRIC WITHIN 0.1 TIR.
 5.ALL DIMENSIONS ARE AFTER PLATING.

*MAJOR DIMENSION
 UNLESS OTHERWISE NOTED TOLERANCES
 0.5-6=±0.2
 6-30=±0.4
 30-120=±0.6
 120-315=±1.0
 ANGLES=±1°
 SCALE 4/1 UNIT MM

APPROVED
 CHECKED
 DRAWN 蔡哲璋
 DRAWN DATE 08/15/01

TITLE SMA MALE TO TNC FEMALE ADMALE 500HM
 DRAWING NO. SMA-1032-1-TGN
 REV A
 FILE NO. D:\DWG\SMA MALE TO FEMALE ADMALE 500HM\SMA-1032-1-TGN